

GEORGIAN

WOOD BURNING FIREPLACES





*Georgian fireplace with Warm Red Full
Herringbone Mosaic Masonry™ brick*

The **Georgian** Series, a family of premium Wood Burning Fireplaces, with large viewing areas and unique features, provides a distinctive focal point in any room.

STANDARD FEATURES

- ◆ Available in 36", 42" and 50" models
- ◆ Massive smoke dome with no visible smoke shelf for reliable operation
- ◆ Fully insulated firebox for increased performance in colder climates
- ◆ Mosaic Masonry™ brick or Estate Refractory Panels available in a variety of patterns and colors with integrated ash lip
- ◆ Heavy duty cast iron log grate with rugged forged andirons
- ◆ Easy access damper control
- ◆ Includes mesh fire screens
- ◆ Dual (left hand/right hand) outside air kits available for maximum performance
- ◆ Durable textured powder coat finish
- ◆ Uses IHP 12 DM (1700°) double wall air cooled wood burning chimney
- ◆ Uses IHP 12 HT (2100°) heavy gauge double wall air cooled wood burning chimney, recommended for cold climates (required for Canada)
- ◆ 20 Year Limited Warranty



Engineered Mosaic Masonry™ bricks are hand grouted in the factory for ease of installation and provide the authentic look of masonry craftsmanship.

Standard

INTERIOR (REQUIRED)

Mosaic Masonry™ brick available in a variety of colors and patterns.



Warm Red Full Herringbone



Warm Red Full Stacked



Ivory Full Herringbone



Ivory Full Stacked



Warm Red Split Herringbone



Warm Red Split Stacked



Ivory Split Herringbone



Ivory Split Stacked

Estate refractory panels feature large grout lines to provide the look of hand-laid brick.



Cappuccino Herringbone



Cappuccino Stacked



Creamer Herringbone



Creamer Stacked



Grey Herringbone



Grey Stacked



Rust Herringbone



Rust Stacked

ADDITIONAL OPTIONS



Ebony




Black

DOORS (OPTIONAL)


Tempered glass doors are expertly crafted. Two finishes available for use with Masonry Brick (1) and Estate Panels (2).

FLAT WALL FRAMING SPECIFICATIONS




| | GEORGIAN 36 | GEORGIAN 42 | GEORGIAN 50 |
|---|-------------|-------------|-------------|
| A | 67-1/8" | 67-1/8" | 67-1/8" |
| B | 45-1/4" | 51-1/4" | 59-1/4" |
| C | 28-1/4" | 30-1/8" | 30-1/8" |

CORNER FRAMING SPECIFICATIONS



| | GEORGIAN 36 | GEORGIAN 42 | GEORGIAN 50 |
|---|-------------|-------------|-------------|
| D | 45-1/4" | 51-1/4" | 59-1/4" |
| E | 86-1/2" | 92" | 100" |
| F | 61" | 65" | 71" |

APPLIANCE SPECIFICATIONS



| | GEORGIAN 36 | GEORGIAN 42 | GEORGIAN 50 |
|---|-------------|-------------|-------------|
| G | 36" | 42" | 50" |
| H | 45-1/8" | 51-1/8" | 59" |
| I | 29" | 30-1/2" | 38-1/2" |
| J | 26-5/8" | 29" | 28-1/2" |
| K | 30" | 30" | 30" |
| L | 49" | 49" | 49" |
| M | 67" | 67" | 67" |
| N | 10-1/2" | 10-1/2" | 10-1/2" |
| O | 9-1/2" | 9-1/2" | 9-1/2" |
| P | 3-1/2" | 3-1/2" | 3-1/2" |
| Q | 7-1/4" | 8-1/2" | 8-1/2" |
| R | 11" | 13" | 13" |
| S | 15-1/4" | 17" | 17" |

IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

DIAGRAMS, ILLUSTRATIONS AND PHOTOGRAPHS ARE NOT TO SCALE—CONSULT INSTALLATION INSTRUCTIONS. PRODUCT DESIGNS, MATERIALS, DIMENSIONS, SPECIFICATIONS, COLORS AND PRICES ARE SUBJECT TO CHANGE OR DISCONTINUANCE WITHOUT NOTICE.

astria
FIREPLACES®

© 2018 Innovative Hearth Products
785351M 07/19



PFS
C US
Report #F09-095

