



U1500E shown with black contemporary door frame.

STANDARD FEATURES

- Natural gas
- Safety screen
- Glowing linear ember bed
- Ceramic burner & driftwood log set
- Black enamel reflective side panels
- Electronic ignition
- 3-speed fan
- Proflame II GTMF remote control system
- Direct vent
- Limited lifetime warranty

OPTIONS

- Contemporary inner door frame & black surround
- Inner door frame
- Premium glass surround in black
- Flush finish option (no outer frame required)
- Optional finishing trim for clean edge finish (W: 50-3/4" x H: 19")
- Steel stud framing kit (recommended)
- AstroCap® venting
- HeatWave™ power duct kit & HeatRelease™ kit
- Propane conversion kit

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	43,000	42,000
Turn down to (BTU)	29,000	33,500
Efficiency (steady state)	73.72%	74.67%
EnerGuide Rating (Canada only)	67.46%	69.64%

DIMENSIONS	
Viewing Area	611 sq. in.
Width (Clean finish)	48"
Height (Clean finish)	16-3/16"



U900E shown with black contemporary door frame.**

STANDARD FEATURES

- Natural gas or propane
- Safety screen
- Glowing linear ember bed
- Ceramic burner & driftwood log set
- Black enamel reflective side panels
- Electronic ignition
- 3-speed fan
- Proflame II GTMF remote control system
- Direct vent
- Heat exchanger
- Limited lifetime warranty

**NOTE: The wall above fireplace is non-combustible

OPTIONS

- Contemporary inner door frame & black surround
- Inner door frame
- Premium glass surround in black
- Flush finish option (no outer frame required)
- Optional finishing trim for clean edge finish (W: 40-1/8" x H: 18-1/4")
- Steel stud framing kit (recommended)
- AstroCap® venting
- Heat distribution kit to distribute heat to other rooms

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	34,000	31,500
Turn down to (BTU)	23,500	25,000
Efficiency (steady state)	73.31%	73.77%
EnerGuide Rating (Canada only)	68.28%	69.49%

DIMENSIONS	
Viewing Area	455 sq. in.
Width (Clean finish)	39-3/8"
Height (Clean finish)	17-5/8"



HZ54E shown with stainless steel faceplate, black enamel reflective panels and black crystals.**

STANDARD FEATURES

- Natural gas or propane
- Safety screen
- 40" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame I GTMF remote control
- Direct vent
- Limited lifetime warranty

**NOTE: The wall above fireplace is non-combustible

OPTIONS

- Contemporary inner frame & faceplate in black or brushed stainless steel
- Verona glass surrounds in 2 colors
- Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- Crystals in various colors
- Firebeads in various colors
- Natural river pebbles
- Driftwood log set
- Wall thermostat
- AstroCap® venting
- Variable speed blower
- HeatWave™ power duct kit & HeatRelease™ kit
- Steel stud framing kit (recommended)

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	41,500	37,000
Turn down to (BTU)	29,000	30,000
Efficiency (steady state)	69.36%	72.02%
EnerGuide Rating (Canada only)	64.45%	67.72%

DIMENSIONS	
Viewing Area	685 sq. in.
Width (Clean finish)	56-11/16"
Height (Clean finish)	25-1/8"



*HZ40E shown with Verona glass surround in chocolate brown, black enamel inner panels, black crystals and driftwood log set.***

STANDARD FEATURES

- Natural gas or propane
- Safety screen
- 30" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame I GTMF remote control
- Direct vent
- Limited lifetime warranty

****NOTE:** The wall above fireplace is non-combustible

OPTIONS

- Flush finish option (no outer frame required)
- Contemporary outer faceplate in 2 colors (in 2 styles)*
- Contemporary inner door frame in 2 colors
- Verona glass surrounds in 2 colors*
- Black enamel inner reflective panels
- Ceramic spa stones, volcanic stones
- Crystals in various colors
- Firebeads in various colors
- Natural river pebbles
- Driftwood log set
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- HeatWave™ power duct kit and HeatRelease™ kit
- Steel stud framing kit (recommended)

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	26,000	25,500
Turn down to (BTU)	18,000	21,000
Efficiency (steady state)	69.70%	72.03%
EnerGuide Rating (Canada only)	64.44%	66.75%

DIMENSIONS	
Viewing Area	464 sq. in.
Width (Clean finish)	38-1/4"
Height (Clean finish)	16-7/8"



HZ30E shown with verona faceplate in stainless steel, black enamel inner panels and obsidian firebeads.

STANDARD FEATURES

- Natural gas or propane
- Safety screen
- 20" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame I GTMF remote control
- Direct vent
- Limited lifetime warranty

****NOTE:** The wall above fireplace is non-combustible

OPTIONS

- Flush finish option (no outer frame required)
- Contemporary outer faceplate in 2 colors (in 2 styles)*
- Contemporary inner faceplate in 2 colors
- Verona glass surrounds in 2 colors
- Black enamel inner reflective panels
- Driftwood log set
- Crystals in various colors
- Firebeads in various colors
- Volcanic stones, ceramic spa stones
- Natural river pebbles
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- Steel stud framing kit (recommended)

**must also purchase inner door frame with this option*

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	14,000	13,000
Turn down to (BTU)	--	--
Efficiency (steady state)	69.74%	69.74%
EnerGuide Rating (Canada only)	62.20%	61.20%

DIMENSIONS	
Viewing Area	262 sq. in.
Width (Clean finish)	27-5/8"
Height (Clean finish)	14-1/16"



*HZ42STE shown with clean edge install and black crystals.***

STANDARD FEATURES

- Natural gas
- Safety screen
- Ceramic glass
- Log set with embers
- Fire grate
- Flame height adjustment control
- Proflame GTMF remote control
- Electronic ignition
- Limited lifetime warranty

****NOTE:** The wall above fireplace is non-combustible. Depending on the TV, it must be protected and not be exposed to the heat emitted by the appliance by either installing a mantle or having the TV recessed into a wall.

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	26,000	24,500
Turn down to (BTU)	17,500	19,500
Efficiency (steady state)	70.39%	72.26%
EnerGuide Rating (Canada only)	66.28%	67.82%

OPTIONS

- Vignette surrounds in various colors
- Vignette door inlays in various colors
- Vignette finishing trim
- Brick panels in a variety of colors and designs
- Inner reflective panels in black enamel
- Ember upgrade kit
- Black louvers & mesh guard
- Variable speed blower
- Wall thermostat
- Propane conversion kit
- Vertical or horizontal vent terminations
- Heat Wave™ power duct kit
- Heat Release™ kit
- AstroCap® venting system
- 3 sided finishing trim (when using black louvers)

DIMENSIONS	
Viewing Area (front & back)	888 sq. in.
Metal Faceplate	W: 48-3/4" x H: 23-5/8"
Verona Faceplate	W: 44" x H: 20-7/8"
Outer Faceplate	W: 43-1/16" x H: 20-9/16"



HZ965E shown with enamel reflective panels and black crystals (clean edge install).

STANDARD FEATURES

- Natural gas
- Safety screen
- Clean face front with ceramic glass
- Linear fire bed covered with glass crystals (purchased separately)
- Split flow burner to allow for variable heat control
- Black enamel inner reflective panels
- Electronic ignition with SureFire™ switch
- Proflame I GTMFS remote control
- Direct vent
- Limited lifetime warranty

OPTIONS

- Crystals in various colors
- Firebeads in various colors
- Volcanic stones or ceramic spa stones
- Wall thermostat
- Propane conversion kit
- Vertical or horizontal vent terminations
- Heat distribution kit
- Power vent kit
- AstroCap® venting system

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	48,000	48,000
Turn down to (BTU)	16,000	17,000
Efficiency (steady state)	59%	59%
EnerGuide Rating (Canada only)	57.70%	57.70%

DIMENSIONS	
Viewing Area	965 sq. in.
Width (Clean Finish)	36-13/16"
Height (Clean Finish)	33-1/4"



HZ33CE shown with enamel reflective panels and copper glass crystals (clean edge install).

STANDARD FEATURES

- Natural gas
- Safety screen
- 20" burner covered with crystals (purchased separately)
- Electronic ignition with SureFire™ switch
- Proflame I GTMF remote control
- Direct vent
- Limited lifetime warranty

OPTIONS

- Clean edge install
- Contemporary faceplate in 2 colors (in 2 styles)
- Verona glass surrounds in 2 colors
- Black enamel inner reflective panels
- Driftwood log set
- Crystals in various colors
- Firebeads in various colors
- Volcanic stones, ceramic spa stones
- Natural river pebbles
- Wall thermostat
- Variable speed blower
- AstroCap® venting system
- Propane conversion kit

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	17,000	15,000
Turn down to (BTU)	12,000	12,500
Efficiency (steady state)	68.96%	68.66%
EnerGuide Rating (Canada only)	64.67%	64.17%

DIMENSIONS	
Viewing Area	416 sq. in.
Width (Clean finish)	29-7/16"
Height (Clean finish)	21-3/8"